

Leave-in spray conditioner

with ERYLITE®



Phase	Ingredients	INCI	Supplier	Quantity
A	Water, demin.	Aqua		Qs to100 %
	ERYLITE® PC	Erythritol	Jungbunzlauer	5.0 %
	XG FNCS PC	Xanthan Gum	Jungbunzlauer	0.08 %
	Plantacare 2000 UP	Decyl Glucoside	BASF	0.1 %
B	Neossance Squalane	Squalane	Saficalcan	2.0 %
	Arganoil	Arganoil	OLVEA	1.0 %
	CITROFOL® AI Extra	Triethyl Citrate	Jungbunzlauer	0.1 %
C	Perfume	Perfume		0.7 %
	Colour			0.0125 %
D	Preservation			Qs
E	Lactic Acid 90 % Cosmetic	Lactic Acid, Water	Jungbunzlauer	Qs

Jungbunzlauer

*From nature
to ingredients®*

Directions

- 1 Mix phase 1 by using an Ultra Turrax
- 2 Heat phase A and phase B up to 70 °C (158 °F)
- 3 Emulsify phase B into phase A while stirring, homogenise for 1-2 min using an Ultra Turrax
- 4 Cool down under stirring, add phase C below 30 °C (86 °F)
- 5 Add preservation
- 6 Adjust pH if necessary

Technical Data

Appearance: milky two-phase solution

pH value: 4.5 – 5.0

Stability

Stable for more than 3 months from 5 °C (41 °F) to 40 °C (104 °F)



Headquarters **Jungbunzlauer Suisse AG** · CH-4002 Basel · Switzerland · Phone +41-61-2955 100
For further information please contact: headquarters@jungbunzlauer.com

www.jungbunzlauer.com

The information contained herein is meant to demonstrate how our products can be used. This formulation has been subjected to limited stability tests and has been shown to perform well. The given data are suggestions without any guarantee aimed to support customers' development.