



Moisturising face serum

with Xanthan Gum
and ERYLITE®

Phase	Ingredients	INCI	Supplier	Quantity
A	Water demin.	Aqua		Qs to 100 %
	ERYLITE®	Erythritol	Jungbunzlauer	5.00 %
	Glycerine	Glycerine		3.00 %
	Xanthan Gum FNCS Personal Care Grade	Xanthan Gum	Jungbunzlauer	0.90 %
	Carrageenan	Carrageenan	Naturschönheit	0.10 %
B	Dermofeel® easymuls plus	Glyceryl Oleate Citrate	Dr. Straetmans	1.00 %
	Dermofeel® sensolv	Isoamyl Laurate	Dr. Straetmans	0.50 %
	Jojoba Oil	Simmondsia Chinensis Seed Oil	Dr. Straetmans	0.50 %
	Tocopherol	Tocopherol		0.50 %
C	Preservative			Qs
	Alcohol denat.	Alcohol		3.00 %
	Domino		Luzi	2.00 %
D	Citric Acid Anhydrous	Citric Acid	Jungbunzlauer	Qs

Directions

- 1 Heat phase A to 40 °C (104 °F)
- 2 Premix phase B at room temperature
- 3 Slowly emulsify phase B into phase A whilst stirring
- 4 Stir well until product is homogeneous
- 5 Add phase C
- 5 Set pH value with phase D

Technical Data

Appearance: opaque fluid

Viscosity Brookfield (Sp. 64 / 60 RPM): 1200 mPas

pH Value: 5.2 – 5.4

Stability

Stable for 3 months at RT, 5 °C (41 °F) and 40 °C (104 °F)



Headquarters **Jungbunzlauer Suisse AG** · CH-4002 Basel · Switzerland · Phone +41-61-2955 100

For further information please contact: headquarters@jungbunzlauer.com

www.jungbunzlauer.com

The information contained herein is meant to demonstrate how our products can be used. This formulation has been subjected to limited stability tests and has been shown to perform well. The given data are suggestions without any guarantee aimed to support customers' development.