

Jungbunzlauer

Textured body cream

with Xanthan Gum and TayaGel® HA



COSMOS
APPROVED



Ingredients

Phase	Ingredients	INCI	Supplier	% W/W	Function
A	Water demin.	Aqua		Qs to 100	---
	Glycerine	Glycerine		5.00	Humectant
A1	Xanthan Gum	Xanthan Gum	Jungbunzlauer	1.00	Rheology modifier
	FNCSP-PC				
	TayaGel® HA	Gellan Gum	Jungbunzlauer	0.40	Rheology modifier
	Cutina® CP	Cetyl Palmitate	BASF	3.00	Consistency agent
	Cetiol® V	Decyl Oleate	BASF	3.00	Emollient
	Cetiol® C5	Coco-Caprylate	BASF	2.50	Emollient
B	Lanette® O	Cetearyl Alcohol	BASF	2.00	Consistency agent
	Cegesoft® VP	Vegetable Oil (and) Hydrogenated Vegetable Oil (and) Euphorbia Cerifera (Candelilla) Wax	BASF	2.00	Emollient
	Cremophor® GS 32	Polyglyceryl-3-Distearate	BASF	1.00	Emulsifier (O/W)
C	Preservative			Qs	---

Directions

1. Heat phase A to 85°C (185°F)
2. Add phase A1 to phase A whilst stirring until gellan gum is completely dissolved
3. Heat phase B to 75°C (167°F)
4. Slowly emulsify phase B into phase A whilst stirring
5. Homogenise for 2 min by using an Ultra Turrax®
6. Cool down to 35°C (95°F) and add phase C whilst stirring
7. Adjust pH to 5.5 if necessary

Technical data

Appearance: white, gel-like cream
pH value: 5.5
Viscosity Brookfield:
(Sp. 64 / 0.6 RPM): 350 Pa·s

Stability

Stable for at least 3 months at RT, 5°C (41°F)
and 40°C (104°F)

Headquarters Jungbunzlauer Suisse AG · CH-4051 Basel · Switzerland · Phone +41 61 295 51 00

For further information please contact: headquarters@jungbunzlauer.com · www.jungbunzlauer.com

The information contained herein has been compiled carefully to the best of our knowledge. We do not accept any responsibility or liability for the information given in respect to described product.

Our product has to be applied under full and own responsibility of the user, especially in respect to any patent rights of other and any law or government regulation.

© 2025 Jungbunzlauer Suisse AG / 097-25